

TXT Controller Firmware Update: Training Factory Industry 4.0 9V

This document describes the steps to upgrade the firmware of the TXT controller in the fischertechnik model **Training Factory Industry 4.0 9V**. Starting October 1, 2021, the new TXT firmware 4.7.0 will be required for communication with <u>www.fischertechnik-cloud.com</u>.

The whole process for the training model takes about 60 minutes. Please follow the instructions step by step. If you have any questions, please contact: <u>fischertechnik@fischer.de</u>

The version of the TXT firmware can be found on the TXT controller in the menu: **Settings** -> info.

You need at least TXT firmware version 4.6.6. Otherwise you have to update to 4.6.6 first before.

1. Backup Programm TxtFactoryMain.cloud

If the program **TxtFactoryMain.cloud** is already on the supplied USB stick, the program can be used later in step 4 from the USB stick. This step can then be skipped.

If there is no USB stick with the supplied programs for the Training Factory Industry 4.0 9V, the **TxtFactoryMain.cloud** program must first be saved on a computer before the main TXT controller is updated. If a firmware update is performed on the TXT controller, all data on the controller is deleted and the controller is reset to default settings. The integrated TXT WEB server can be used to copy the program. Connect the TXT controller to a computer as described in step 4 and save the **TxtFactoryMain.cloud** program from the Cloud folder locally e.g. under Downloads on a computer by clicking on the icon with the cloud (see screenshot).

oserver 🗙 🕎 TX	(T Webserver 🔉	K 🔷 🔷 TXT Webserver 🗙	+		-		×
Cloud			0- Q	☆	4		:
					٦	XT-0	701
е	Туре	Date Modified	Action	s			
2.34 KB	File	Jul 18, 2019	Ì	0			
8.82 KB	File	Apr 26, 2019	Î	6			
2 2 8	server × N Cloud 2.34 KB 2.82 KB	server X Vebserver X Cloud Clo	server x Intervent x Inter	server X 🔷 TXT Webserver X 🔷 TXT Webserver X 🕇 + Cloud 🗣 🖗 Type Date Modified Action 3.34 KB File Jul 18, 2019 8.82 KB File Apr 26, 2019	server X X Webserver X X H Cloud V R I X Webserver X + Cloud V R I X Webserver X + Cloud V R I X Webserver X + Cloud V R I X Webserver X + Note that the server X + Note that the server X + the server X	server X 💊 TXT Webserver X <table-cell> TXT Webserver X I + Cloud I Relation Relatio</table-cell>	server × 🔷 TXT Webserver × 🖒 🔶 TXT Webserver × 🛛 + 👘 🖓 🐩 🗋 🌑 Cloud 🗣 🗟 🖈 🐩 🗋 🍩 TXT-0 TXT-0 34 KB File Jul 18, 2019 🗊 💽 82 KB File Apr 26, 2019 🗊 💽



2. Update TXT Firmware 4.6.6 -> 4.7.0

Install ROBO Pro software 4.7.0 on a computer with Windows 10. You can download the installation setup file from fischertechnik.de site:

www.fischertechnik.de -> Service -> Downloads -> ROBOTICS -> ROBOPro -> Update
ROBOPro 4.7.0

or use the direct download link:

https://www.fischertechnik.de/-/media/fischertechnik/fite/service/downloads/robotics/robopro/documents/update-robopro470.ashx

The version of the ROBO Pro software can be found in the menu: **Help** -> **About...**



Upgrade the TXT controller firmware of the TXT controller via ROBO Pro software:

- Connect the TXT controller with the computer via USB cable
- Start ROBO Pro, select TXT controller and USB interface



Open the interface test window



Firmwareaktualisierung	×	
Die Firmware-Version des TXT Controllers ist 4.6.6.0 Es wird jedoch die Firmware-Version 4.7.0.0 erwarteti Deshalb wird ROBOPro nun ein Update der Firmware durchführen. Das wird einige Augenblicke dauern.		Firmware update × Please wait until the TXT switched off automatically! See the TXT display for update progress.
OK Abbreche	n	ОК

Then the update message will be displayed. Be patient, updating the TXT firmware takes about 5-10 minutes per TXT controller. You should see update messages on the TXT controller display. When the update is complete, the TXT controller will power off. Turn on the TXT controller by pressing the ON/OFF key for >3 seconds at the end of the update.

ATTENTION!: DO NOT interrupt the power supply during the update process, because otherwise the TXT controller is defective and needs to be repaired. All the files on the TXT controller will be overwritten after the firmware update.

3. Change TXT Default Settings

Change the deafult TXT settings on the main TXT controller display in the menu **Settings** (see picture).

3.1 Role: Role

Change role of the TXT controller from **Master** to **Cloud**



3.2 Security settings: Settings -> (down arrow) -> Security

Enable WEB Server and SSH Daemon. When the WEB server is switched on, a "ws" symbol is displayed in the upper TXT status bar. When SSH Daemon is switched on, a "SSH" symbol is displayed in the upper TXT status bar.

∯ (M) TXT-6892 18:24	∯ (⊮) TXT-6892 18:24	🛔 🛞 TXT-6892 18:24	ັ≊ ເ⊛ TXT-6892 18:24	∰ [₩] (⊮) TXT-6892 18:24	
NO	$\triangleleft \triangle \bigcirc$	$\blacktriangleleft \land \bigtriangledown \land \bigtriangledown$	< ♠	< ♠	
PROGRAM	Settings	Settings	Security	Security	
	V Role	🔍 Language			
File Language		Detwork	SSH Daemon	SSH Daemon	
Settings Network		i Info	WEB Server	WEB Server	
Test 👔 Info		Security	VNC Server	VNC Server	

3.3 Network settings: Settings -> Network

Disable Bluetooth, activate WLAN Client, setup network WLAN settings for the corresponding TXT. The following screenshots show how to change the wireless settings:

[§] ₩ () TXT-7084 01:07			SW (r	о тхт	-7084	01:13		Man (r) тхт	-7084	01:07	ੂੰ [⊮] ⊛ TXT-7084 01:14	ੂੱ≌ í D TXT-7084 01:14				
		NO PRC	OGRA	M	Set	ting	5		\bigtriangledown	Network		◀ 💧 WLAN Setup	VLAN Mode				
in a constant	File					Role Lang	uage			Blue Pairir	Bluetooth Pairing code 693096			3096	WLAN AP Network security key F5DYBYGXRCM8	Access Point (AP) WLAN Channel <11>	
•	Sett	ings			\geq	Netw	ork			WLA	AN Se	tup			Client:	WLAN-Client	
	Test				Ü	Info				Cloud	d Setup	o: Set I	Role		WLAN Mode	WLAN Client Setup	
	an (M) тхт	-7084	01:14) тхт	-7084	01:07		SW H) тхт	-7084	01:07	^{≦⊮} ⊛ TXT-7084 01:07	ੂੱ [≌] ⊡ TXT-7084 01:15	
															<	< ✓	
WL/	AN Cli	ient S	Setup		WLA		ient S	Setup)	Sele	ect SS	SID			WLAN Client Setup	WLAN Key	
SSIE) TP-Li	ink_F	C6A		:		10/1	A NI		TP-L	.ink_E	984		.af	SSID TP-Link_E984	Disable / No-Key	
SSIE) Sca	n			:	can	VVL.	AN.							SSID Scan	WPA2 <******>	
Кеу	Key WPA/WPA2 Key WPA/WPA2							Key WPA/WPA2	Set Key								
IP	192.1	168.0.1	10		IP	192.2	L68.0.1	LO							IP 192.168.0.10		
4 I	Key				< к	Cey				I	Key	04.0		\checkmark	ੂੱ≌ í DTXT-7084 01:15	[≣] ≝ (⊮) TXT-7084 01:07	
						0	0		-	← 2	20419	912			< ✓	<	
a f	a n	C b	a i	e	1	2	3 0	4	5	1	2	3 0	4	5	WLAN Key	WLAN Client Setup	
ı k	y I	m	n	1	+	-	*	3 1	٥ ١	+	-	*	3 	٥ ١	Disable / No-Key	SSID TP-Link_E984	
р	q	r	s	t			;		^			;		^	WPA2 <*******>	SSID Scan	
u	v	w	x	у	•	•		=		•	•		=		Set Key	Key WPA/WPA2	
12!	АВС	z		×	=+\$	abc			×	=+\$	abc			×		IP 192.168.0.10	
	N N N	тхт (-7084	01:15		NNI (1	🕞 тхт	-7084	01:07	(î;	se (ואד	Г-7084	01:14	裦 📲 🛞 TXT-7084 01:07		
				\checkmark										\checkmark	۹ 🔒		
WLAN IP WLAN Client Setup		WL	AN M	ode			WLAN Setup										
			Acce	ss Po	oint (AP)	WLAN										
IP 192.168.0.10					WLAI	N Cha	annel	<11>	AP Network security key								
Mas	k 255.	.255.2	255.0		Kev	WP	A/WE	PA2					ent		Client: 192 168 0 10		
GW	192.	.168.(169.(0.1		IP						WLAI		ent Se	tun	WI AN Mode		
DNS 192.168.0.1			IP				WLAN Client Setup			ant Oc	aup-						

4. Upload TXT Program

The TXT controller firmware version contains an integrated WEB server that can be used to upload and download programs and files to the TXT controller. In this way, e.g. C programs are copied from the computer to the TXT controller and then started via the user interface of the TXT controller. If the WEB server is not yet switched on, it must first be activated in the TXT menu (see above).

The WEB page of the TXT controller can be accessed when the IP address is entered in the WEB browser (*Chrome, Edge* or *Firefox* are recommended). Depending on the interface, a different IP address must be entered.

• **USB**: 192.168.7.2



The page of the TXT controller is password protected.

- User: TXT
- **Password**: 4-digit number of the TXT controller displayed in the upper status bar on the TXT display (e.g. *6892* if "TXT-6892" is displayed)

The following query of the password is displayed in the WEB browser:

Sign in								
http://192.168.7.2								
Your connect	Your connection to this site is not private							
Username	ТХТ							
Password								
		Sign in	Cancel					

After entering the password, the page of the TXT controller should now be visible.

TXT Webserver	>	< +		— (- X
< → C ☆ (Nicht sich 	er 192.168.	7.2/#txt ••	🕸 🕁	•
fischertechnik				TX	(T-6892
^ +					
Name	Size	Туре	Date Modified	Acti	ons
C-Program	1.00 KB	Directory	Jul 18, 2019	Ĩ	i
Cloud	1.00 KB	Directory	Apr 26, 2019	Ĩ	ī
Data	1.00 KB	Directory	Jul 18, 2019	Ĩ	i
Sounds	1.00 KB	Directory	Apr 26, 2019	Ĩ	Ī

To copy C programs to the TXT controller, change to the directory "Cloud" by clicking on it with the mouse. In this directory fischertechnik cloud C programs are stored on the TXT controller. Files can be deleted using the Recycle Bin icon or added via the + icon. If you click on +, a dialog box opens in which you can select files on the computer with "Upload files" and add them with "Add Files". If one or more files have been selected, they are uploaded to the TXT controller with "Finish".

At this point, the **TxtFactoryMain.cloud** program previously saved from step 4 or from the supplied USB stick is required. The **TxtFactoryMain.cloud** program must be copied to the "Cloud" folder on the TXT controller as shown in the following screenshots.

fischer@chuftx 📼								
Cloud	+							
Name		New Directory	ze	Туре	Date Modified	Actions		
TxtSmartHome.cl	٥	Upload Files	15.03 KB	File	Sep 19, 2019	î G		

	Organisieren 🔻	Neuer Ordner				= • 🔳 🔞
Upload Files	🧊 3D-Objekte	^ Name		Änderungsdatum	Тур	Größe
	Bilder	✓ Heute	(1)			
Add Files	Dokumente	TxtF	actoryMain.cloud	07.10.2021 10:04	CLOUD-Datei	671 KB
	🖶 Downloads					
	🌢 Musik					
	Windows (C	\ `				
	C Windows (c.	Dateiname: TytEac	ton/Main cloud		Alle Dateien (* 2	
Cancel Upload			torywani.cioud		Öffnen	Abbrechen
					Official	Abbrechen
r						
Upload Files	Upload F	iles				
Add Files				Add Files		
TxtFactoryMain.cloud		ktFactoryMai	n.c			
Oct 7, 2021 670.33 KB		ot 7, 2021 670	.33			
Cancel Upload				Finish		
					4	
fischertechnik 📼						XT-1742
Cloud +						
Name	Sizo	Type	Date Modifie	d	Actions	
Name	SIZE	туре	Date Moullie	u	Actions	
TxtFactoryMain.cloud	670.33 KB	File	Oct 7, 202	1	ÎG	
TxtSmartHome.cloud	415.03 KB	File	Sep 19, 20	19	Î A	
			,			

Connect the TXT controller with the fischertechnik Cloud as described in the didactic material (<u>https://www.fischertechnik.de/en/service/elearning/teaching/lernfabrik-4</u>). Only if the pairing is successful the program in the folder Cloud can be selected on the TXT controller.

The program is automatically loaded at power up when "Auto Load" is enabled. The program is loaded with "Load" as usual with the TXT controller and can then be started via the green button (see screenshots).

হৃ ট্ল ^ছ ⊛ TXT-0239 01:07	र्ङ है[≝] ⊛ TXT-0239 01:07	奈 ৪ឝৣ৺ 👜 TXT-3165 01:00	奈 ह∰≝ 🙆 TXT-3165 01:00
NO PROGRAM	◀ ▲ Filegroups	 ▲ ▲ ○ ▽ File [Cloud] 	◀ 會 TxtFactoryMain
	ROBOPro	TxtFactor yMain	Load
File	Cloud	TxtSmartHome	Auto Load
Settings	C-Program	<u> </u>	Auto Start
🗹 Test	Scratch	<u> </u>	

ı



奈 है≣≝ 👜 TXT-3165 01:00	?ੇ ਸਿੰ≣ ⊡ TXT-3165 01:00	奈 ৪≋ ি TXT-3165 01:00
◀ ▲ TxtFactoryMain	◀ 🛕 TxtFactoryMain	START PROGRAM
Load	Load	TxtFactoryMain
Auto Load	Auto Load	File
Auto Start	Auto Start	Settings
		Test

5. Power Off and On TXT Controller

Switch off and on the TXT controller in the training model.



6. Restart TXT Controller

Start the factory as described in the didactic material.